

Thank you for your order. Sidh's is the luxury seamless doll which have a inner bone-frame system & silicone skin. There are some difference among Ball Joint dolls & the structure of Sidh's;

Silicone is the delicate material !

When a needle or a knife (or any other pointed one...) put a small bruise , silicone skin of Sidh's tends to split.

When you add the power more than the limit of the tensility of silicon, that would split.

Especially, it would be necessary to warn you around the eyes and around each joint.

Silicon takes on static electricity !

Because silicone skin tend to have static electricity, skin pulls dusts and hairs.

This is one of the cause of the dirt.

To wash Sidh's by lukewarm water is nice solution.

It would be better to use the shower gel (like " Dove " or " Bourjois " etc...).

Silicon is sticky !

There is light adhesiveness by a plasticizer for a silicon.

Therefore, it's better to apply powder of a talc sometimes.

【Glue, cosmetics and paint】

It is difficult that a cosmetics(for human skins), glue and a pigment can make them have on the silicon skin.

If you wanna repair her skins, you should use special glue with the primer liquid

like a enclosed repair kit or Hyper Repair Kit of Arte Tokio.

Preservation method



This is her neutral position.
The tensility of the silicon is held to a minimum.



This is the development posture of the neutral position.
It would be better to preserve it by a sitting position or a half sitting position realistically.



Please don't make touch PVC product and an elastomer product!
Her skin should be deteriorated.

Maintenance



Dirt consists of the dust adherent by static electricity and oil which spreads a little from a silicon resin. Before washing, please protect all screw holes in order to stop infiltration of water. There is screwed runner in growth zone, a head



and a back. Please wash with thinned shower gel and lukewarm water gently. Please rinse it for water tightly. You had better to presse with a towel gently in order to wipe up a drop of water.



Please let her dry naturally for a while. After dryness, you apply enclosed powder to her by a brush.

Repair process

The bruise with the shallow degree can be repaired by a enclosed repair kit.

*The preimer is very dangerous in a human body, so attention is necessary. That shouldn't be put in eyes, the mouth and a nose. When that was stuck in eyes and the mouth, please scour with lots of water.

And you MUST have a medical examination by the medical specialist as soon as possible.



Please clean around the bruise and apply a little bit of preimer by a cotton swab. Please put the lid on a bottle of preimer and wash your hand with soap well.



And please leave for 15 minutes to dry primer. Please stir a little silicon resin A and B well on the cardboard.



Please paint mixed one on a bruise. Please leave that for at least 30 hours.

Adjustment of the direction of an eyeballs

You do not need to remove her wig!



Her eyes can be moved with an enclosed needle. It is tips to hook a needle on an eyeball and to make it rise to surface ahead a little.



Behind the eyeball, the pasteboard for maintenance is contained. So, you have to float her eyeball several millimeters(1-1.7mm) with a needle.



Thus, the direction of her eyes is easily changeable. It is not necessary to remove a wig.

*When you treat a needle, be careful in order not to be injured

*Please always keep away a child from a needle!

The exchange process of an eyeball(Un-recommending!)

This operation should be performed by the skilled craftsman. If you wanna challenge this operation, we cannot have responsibility. So we propose eyeball exchange service to you. An exchange charge is 2000 yen(+ shipping cost). You can choice colours as below;

Blue, Green, Hazel, Gray, Red, Purple,etc.....

Please contact to info@artetokio.com



First, you should know what her inner canthus and outer corner of the eye tend to be beaten. Please pull both eyelids with the thumb. Then, please blow a breath into the hole of an eye strongly.



At first please make an eyeball sink into an eye socket a little. After that, you'd better to insert an eyeball carefully while shifting a finger on her eyelid a little.



An upper eyelid is opened, and it would be better to insert. If some degree eyeballs are inserted, please pull a lower eyelid gently. That's the trick to put it in surely.

About inner-wires of her ears and a fingers

A thin wire is enclosed inside the ear and the finger. That may give some expression for her. However, those don't stand up to frequent winding in the reason of metal fatigue



Please don't bend extremely. It's possible to put the direction of her ears only a little.



It's also possible to put the direction on her fingers a little.



neither a finger nor an ear should be extremely bent like a photograph .

The attachment-and-detachment process of a head



Please remove the wig at first. You are able to remove easily the screw of the parietal region with a screwdriver(+).



You had better let a screw pass on a head parts at first, if you want to attach har head parts with her body.



Before you turn a screw with a driver, as a male screw and a female screw should get into gear, please turn more than 1 rotation half with a finger carefully. After that rotation, please turn a driver(+) slowly and fix. However, do not fix too much tightly!

The attachment process of a wig



Please turn over the cup made of rubber .



Please apply an index finger or the middle finger to the end of a wig. Then, probably, it is good to put the finger on a back-of-the-head lower part(like a Photo).



Please put a wig by another hand. It is tips to pull the whole of wig forward.

As for the following wig, conformity is checked.

-Obitsu 60WGS03; www.obitsu.co.jp

-Zephyr (for 40cm dolls); www.zephyr8989.com

About a gimmick range



This is the limit of the armpit for a holdup pose(Max.90degree). Please don't make a foot open any more(Max.79degree).



The folding arms are no problem for her. But it would be better not to bend its knees any more(Min35degree).



It's possible to make a waist bend forward. It's also possible to twist a lower back a little. The neck may be shifted in front, back, left and right. You may pull & push her jaw only a little.

Don't make them move exceedingly. Please be sure to return after use to a neutral position;

-Neutral position=The posture of the shipment packing state

-Knees and arms are bent a little and a leg is also opened only a little.

Several night/ 1 week, please make her a neutral position.



Please wrap an arm gently by your palm. And please make a joint curve by your fingers and your palm.



Please move her shoulder gently like a photograph above. When I grasped an upper arm by a palm and made a shoulder slide,



When moving a neck, please grasp a head gently. You are able to make her neck wind easily.



When moving a waist, please wrap her back and her hips in your palms. Please add the power and move he waist



When you wanna move her knee, please grasp a shank and a thigh by your palm. Please add and the power gradually.



If you move a joint of an ankle and a wrist, you have better to take care. It's important to grasp the nearby the joint.